

Power Tools for Professionals

SEALING GUNS 2012/2013

SEALING GUNS FOR PROFESSIONALS



14.417 4.2 Aho

Panasonic EV3641 14.4V

14.4V WITH 4.2AH FOR EVEN GREATER PERFORMANCE: A NEW LEVEL OF BATTERY CAPACITY HAS ARRIVED

EY 3654 NQW

0

with 2 x 7.2V / 2.8Ah Ni-MH battery packs

HANDY, DURABLE AND PROFESSIONAL

> Ideal for 600ml foil packs or cartridges. With 2.8Ah and 2,500N pressure it's your perfect partner for general sealing. Transparent pipe to allow clear sight of remaining material level.

New: EY 3610 LA1J with Li-ion battery 3.6V / 1.5Ah

Perfect for cartridge or foil packed materials 2,450N pressure. Double rack system for compact design. Rugged build: Aluminium pipe full metal gear box, hardened connection rod, high performance motor.

POWERFULF CORDLESS SEALING GUNS

All models feature 'Drop Stop' as standard. This function automatically takes pressure off plunger as soon as trigger is released preventing excess material discharge.

EY 3641 LS1S / EY 3640 LR1S

with 14.4V with 4.2 / 3.3Ah Li-ion battery pack

Pushing pressure of 4,410N makes it suitable for high viscosity materials e.g. adhesive products. It also gives high speed application, even with very high flow rate and is easy to handle, even in difficult working areas. Changing of foil packed materials up to 600ml / 300ml or cartridges can be done in seconds. Rugged construction: Aluminium pipe, full metal gearing, hardened steel connecting rod and high performance motor.



NEW 14.4V LI-ION BATTERY PACK

Battery cell sensor

Battery cell case

Battery cell 🔸

For toughest requirements 4.2Ah: A new scale for battery capacity





Efficient and comfortable working with 360° turnable aluminum tube. Powerful motor provides high pushing pressure and high flow rate.

EY 3641 LS1S / EY 3640 LR1S

14.4V Cordless Sealing Gun

- Specifically designed for long operating time and efficient application of large volumes of sealing material
- With 14.4V and 4.2 / 3.3Ah capacity it dispenses materials quickly and efficiently even with high viscosity products

Easy handling for clean results High working speed due to high output 14.4V battery pack Optimized and the speed optimized and the spe


VERSATILE: THE GENERAL PURPOSE CHOICE

Whether cartridge or foil packs, get fast and clean finishing up to 400ml. With 3.6V and 1.5Ah Li-ion the EY 3610 is compact and lightweight helping you master general purpose sealing.

EY 3610 LA1J

3.6V Cordless Sealing Gun

- Pushing pressure 2,450N
- Drip prevention mechanism to avoid over dispensing
- Compact design through double rack system
- Weighs just 2.15kg



Rack position indicator

PROVEN PERFORMANCE; THE CLASSIC

Professional 7.2V sealing gun with transparent cylinder pipe. 2.8Ah capacity. Perfect handling due 360° turnable pipe, adjusting dial for pushing pressure and only weighs 2.0kg.

EY 3654 NQW 7.2V Cordless Sealing Gun

- Suitable for foil packs and cartridge up to 600ml
- 2 x 7.2V / 2.8Ah Ni-MH battery packs
- Drip prevention

Fast, clean and precise - no delay yield of sealing material

Dispense foil packed materials up to 600ml

TECHNICAL DATA

14.4V 4.2Ah Li-ion	EY 3641 LS1S / K	Voltage	14.4V
Li-ton 34.2ah	 Cordless Sealing Gun New high-performance 4.2Ah Li-ion battery pack 50min. usable and 60min. full charging Light weight 2.8kg (incl. battery) For cartridge and foil pack up to 600ml Electric speed control Fully automatic decompression Incl. one battery pack* 	Battery capacity (acc. to IEC)	4.2Ah (Li-ion)
		Charging time (usable/full)	50 / 60min.
		Pushing pressure	4,410N (450kgf)
		Size (W x L x B)	140 x 560 x 245mm
		Weight (incl. battery)	2.8kg
		Standard accessories (battery / charger / plastic box)	1 x battery EY 9L45 B
			EY 0L82 B
	Typical application Plumbing, glass installation, firestop installation, sealing applications, glasswork for cars		incl. plastic box
14.4V 3.3Ah Li-ion	EY 3640 LR1S / K Cordless Sealing Gun High-performance 3.3Ah Li-ion battery pack* 40min. usable and 55min. full charging Light weight 2.65kg (incl. battery) For 310ml cartridge Electric speed control Fully automatic decompression Incl. one battery pack*	Voltage	14.4V
		Battery capacity (acc. to IEC)	3.3Ah (Li-ion)
		Charging time (usable/full)	40 / 55min.
		Pushing pressure	4,410N (450kgf)
		Size (W x L x B)	140 x 424 x 245mm
		Weight (incl. battery)	2.65kg
		Standard accessories	1 x battery EY 9L44 B
		(battery / charger / plastic box)	EY 0L82 B
	Typical application Plumbing, glass installation, firestop installation, sealing applications, glasswork for cars		incl. plastic box
3.6V 1.5Ah Li-ion	EY 3610 LA1J Cordless Sealing Gun	Voltage	3.6V
		Battery capacity (acc. to IEC)	1.5Ah (Li-ion)
	 1.5Ah Li-ion battery pack 	Charging time (usable/full)	15 / 30min.
	 15min. usable and 30 min. full charging 	Pushing pressure	2,450N (250kgf)
	Light weight 2.15kg (incl. battery)Double rack system	Size (W x L x B)	142 x 501 x 259mm
	 For cartridge and foil pack up to 400ml 	Weight (incl. battery)	2.15kg
	 Electric speed control Fully automatic decompression Incl. one battery pack 	Standard accessories (battery / charger / plastic box)	1 x battery EY 9L10 B EY 0L11 B
	Typical application Plumbing, glass installation, firestop installation, sealing applications, glasswork for cars		
7.2V 2.8Ah Ni-MH	EY 3654 NQW	Voltage	7.2V
	Cordless Sealing Gun	Battery capacity (acc. to IEC)	2.8Ah (Ni-MH)
	 2.8Ah Ni-MH battery pack 45min. charging time For cartridge and foil pack up to 600 ml Electric speed control 	Charging time (full)	45min.
		Pushing pressure	2,500N (250kgf)
		Size (W x L x B)	106 x 550 x 227mm
	 Drip prevention and decompression lever 	Weight (incl. battery)	2.0kg
	 Fully automatic decompression Incl. second battery pack 	Standard accessories (battery / charger / plastic box)	2 x battery EY 9268 B EY 0110 B
	Typical application Plumbing, glass installation, firestop installation, sealing applications, glasswork for cars		

* K-type without battery and charger



Panasonic Power Tools

"Panasonic House" Willoughby Road Bracknell, Berkshire RG12, 8FP, United Kingdom Telephone: (01344) 853187 Facsimile: (01344) 853217

Panasonic Electric Works AG

The design and specification of products are constantly changing in the interest of improvement. Whilst every care has been taken in preparation of this catalogue, some changes may not have been indicated and may have occurred after publication. Please check with your Panasonic dealer for details. Panasonic Electric Works AG cannot accept responsibility for any errors and omissions.

Produced in Germany 10/2012 © 2012 Panasonic Electric Works AG

DEALER'S STAMP

Г

L

Г

٦

www.panasonic.co.uk/powertools